

Structural Analysis Report
15' x 15'
E-Series Frame Tent Assembly

Project: 15' x 15' Frame Tent Assembly

Client:



TentCraft
2662 Cass Rd.
Traverse City, Michigan 49684
(800) 950-4553 Phone

Provide By: **Trison Engineering Group, INC.**
112 W. Fourteenth Street
Traverse City, Michigan 49684
(231) 932-9177 Phone
(231) 932-0179 Fax

Trison Job # G21008

July 28, 2021

Prepared by: Mark S. Bryce, P.E.
State of Michigan # 6201030495



Mark S. Bryce, P.E.
7-28-2021

Sheet Index

<u>Sheet</u>	<u>Contents</u>
1	Cover
2	Sheet Index
3	Scope & Analysis Criteria
4	Tent Materials / Components
5	Assumptions
6	Conclusion
7	Limitations
8-9	Load Combinations
10-17	Wind Loading Criteria
18	Base Reactions
19	Computer Model of Tent Support Frame
20-22	Open Tent with Valance
23-27	Partially Enclosed Tent with Walls
28-32	Enclosed Tent with Walls
33-43	Appendix: Alternate 2" Guy Strap Assembly

Scope

The Structural analysis was performed by Trison Engineering Group, Inc. as requested by TentCraft to determine the conformance of the E-Series 15' x 15' tent structural support frame and 8' head clearance with the governing building codes and the industry standards. The tent structural support frame is the tent's Main Wind-Force Resisting System (MWFRS) and therefore shall be designed to resist the wind loads. This structural analysis is also to determine the adequacy of the structural support frame of the tent to determine the maximum allowed wind speed for the installation. This analysis considers the structural properties of the support frame members, ballast weights and the applied wind loading. Different enclosure and exposure categories will also be considered in this analysis to determine the maximum allowable wind speed for use of the tent installation.

Analysis Criteria

The structural analysis was performed using the following design criteria:

Codes:	2015 International Building Code ASCE 7-10 Minimum Design Loads for Buildings & Other Structures
Wind Criteria:	Allowable design three-second gust wind speed to be determined, refer to conclusion for each tent structural support frame. Occupancy Category I Exposure Category B & C No Topographic Effects $K_{zt} = 1.0$
Frame Tent Assembly:	E-Series Width = 15'-0" Length = 15'-0" Eave Height = 8'-0"

Tent Materials / Components

Pipe Beams & Poles:	Anodized Aluminum 6105 2.25" Outside diameter 0.1875" Wall thickness Cross-sectional Area $A = 1.22 \text{ in}^2$ Moment of Inertia $I = 0.653 \text{ in}^4$ Section Modulus $S = 0.579 \text{ in}^3$ Ultimate Tensile Strength = 38.0 ksi Yield Tensile Strength = 35.0 ksi
Pipe Connectors:	Cast Aluminum Yield Tensile Strength = 24.0 ksi
Guy Strap Assembly:	1" Strap with Ratchet Allowable Working Load Limit = 750. #
Steel Cable Assembly:	5/16" diameter galvanized steel cable Turnbuckle and shackles Allowable Working Load Limit = 1960. #
Ballast:	75 Gallon water barrel = 625.8 # Ballast and guy strap set at 3'-6" from poles.
Tent Stake:	36" long tent stake as provided by TentCraft Pullout capacity equal to ballast weight. Tent stake pullout capacity is dependent on the strength of the soil and shall be verified by a Soils Engineer at the time of installation.
Tent Fabric:	18 oz. Vinyl-Coated -Polyester

Assumptions

This structural analysis is based on the theoretical capacity of the members. The structural analysis is based solely on the information supplied, and in turn the results are only as accurate as the data extracted from that information. Trison Engineering Group, Inc. has been instructed by TentCraft to assume the information supplied is accurate, and Trison Engineering Group, Inc. has made no independent determination of its accuracy.

- The tent structure is assumed to have been properly maintained, to be in good condition with no structural defects and with no deterioration to its member capacities.
- The tent configuration is as supplied by the construction drawings and information supplied by TentCraft. It is assumed to be complete and accurate. All components are assumed to be properly installed and supported as per the manufacturer's requirements.
- If the actual configuration is different than above, then this analysis is invalid.
- All connections are assumed to develop at least the member capacity, unless explicitly stated in this report.
- It is assumed that there have been no structural modifications to the tent assembly, if any, then this analysis is invalid.
- Tent installation was in accordance with the manufacturer's requirements. Responsibility of proper installations is with the installation contractor. The cables and straps are always held taut. The fabric is stretched tight enough to prevent development of pockets and maintain roof slope.

Conclusion

A 3-Dimensional structural frame computer analysis was used for this analysis. Different load combinations were considered to identify the critical design factors. Member and detail checks were performed to derive the conclusions for the report. The calculations used an iteration process to determine the maximum allowable wind speed for each different exposure category and enclosure configuration. The noted maximum wind speed, exposure category and enclosure for the structure satisfies the requirements of the “American Society of Civil Engineering Minimum Design Loads for Buildings and Other Structures” (Asce 7-10), as well as the “2015 International Building Code” (IBC 2015). As such, the following conclusions and recommendations were developed:

Tent: 15’ x 15’ with 8’ Head Clearance

Ballasting weight at each leg of 625 lbs. minimum, with 1” guy strap assembly.

<u>Enclosure</u>	<u>Exposure ‘B’</u> Maximum Wind Speed	<u>Exposure ‘C’</u> Maximum Wind Speed
Open Tent (Roof and Valance)	80 MPH	65 MPH
Partially Enclosed Tent (Roof and Open Walls)	60 MPH	45 MPH
Enclosed Tent (Roof and Walls)	60 MPH	50 MPH
	Urban and suburban areas, wooded areas or terrain with numerous closely spaced obstructions of single- family buildings or larger.	Open terrain with scattered obstructions with heights less than 30 feet and grasslands.

Limitations

The engineering services rendered by Trison Engineering Group, Inc. in connection with this structural analysis are limited to an analysis of the tent structural support frame.

The information and conclusions contained in this report were determined by application of the current engineering standards and analysis procedures and formulae, and Trison Engineering Group, Inc. assumes no obligation to revise any of the information or conclusions contained in this report in the event such engineering and analysis procedures and formulae are hereafter modified or revised.

Trison Engineering Group, Inc. make no warranties, expressed or implied in connection with this report and disclaims any liability arising from original design, material, fabrication and erection deficiencies or the "as-built" condition of this structure. Trison Engineering Group, Inc. will not be responsible whatsoever for or on account of consequential or incidental damages sustained by any person, firm, or organization as a result of any data or conclusions contained in this report.

Installation procedures and loading are not within the scope of this report and should be performed and evaluated by a competent contractor.

Load Combinations and Loading

Load combinations using Allowable Stress Design (ASD)

$$LC1 = D$$

$$LC5 = D + (0.6)W$$

$$LC7 = (0.6)D + (0.6)W$$

The tent structural support frame is designed to support the dead load of the tent and support frame and the wind loading as noted in these calculations. The tent structural support frame may, or may not, be structurally capable of supporting additional loads. Additional loads applied to the tent structural support frame such as live load, snow load, hanging dead loads, or wind speed up subject to escarpment effects caused by hills will exert additional loads to the tent support frame. Prior to adding additional loading to the tent structural support frame, the structural support frame shall be reviewed by a qualified structural engineer to determine if the frame is structurally acceptable for the additional loading. The owner of the tent structure shall get written certification from a qualified structural engineer as to the magnitude and location for additional loads being applied and any restrictions to the tent structure which they assumed.

D = Dead loads consist of the self-weight of all materials incorporated into the tent fabric material, supporting frame and ballast weight. Hanging dead loads are auxiliary additional loads that typically are hanging from the structure, and are not part of the tent structural support frame. In this analysis of the tent structural support frame there are no hanging dead loads considered.

W = Wind Loads have been included in this analysis of the tent structural support frame.

L = Live loads are loads produced by the use and occupancy of the structure that does not include construction or environment loads. In this analysis of the tent structural support frame there are no live loads considered.

- S = Snow loads have not been included in this analysis of the tent structural support frame. This tent structure is assumed to be erected on a temporary basis, in locations, and during seasons, where snow loading is not expected. If snow is expected or is likely to occur while the tent fabric is still in place, then measures shall be provided to ensure snow removal. In addition, the roof fabric slope shall be maintained to allow for a smooth drainage and to prevent the potential for ponding of melt water.
- E = Seismic / earthquake loading does not control over the wind loading. Due to the low mass of the tent structural support frame the seismic base shear does not control the structural design of the support structure and therefore has not been included in this analysis.
- R = Rain water loading shall drain off the sloped roof surface and shall not be allowed to pond on the tent fabric.

Wind Loading Criteria

The tent structural support frame is the tent's Main Wind-Force Resisting System (MWFRS) and therefore designed to resist the wind loads. Basic Wind Speed per ASCE 7-10 = 105 MPH three-second gust wind speed is the building code required design wind speed. However, this structural analysis is to determine the adequacy of the tent structural support frame and to determine the maximum allowed wind speed for the tent installation.

V = Maximum allowable three-second gust wind speed for the tent structural support frame.

Occupancy Category = I

Surface Roughness = B & C

Surface Roughness B: Urban and suburban areas, wooded areas or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.

Surface Roughness C: Open terrain with scattered obstructions having heights generally less than 30 feet. This category includes flat open country, grasslands, and all water surfaces in hurricane-prone regions.

Surface Roughness D: Flat, unobstructed areas and water surfaces outside hurricane-prone regions. This category includes smooth mud flats, salt flats and unbroken ice.

Exposure Category = B & C

Exposure B shall apply where the ground surface roughness condition category B prevails in the upwind direction for a distance of at least 1500 feet or 20 times the height of the structure height, whichever is greater.

Exposure C shall apply for all cases where Exposures B or D do not apply.

Exposure D shall apply where the ground surface roughness condition category D prevails in the upwind direction for a distance of at least 5000 feet or 20 times the structure height, whichever is greater. In addition, Exposure D shall extend inland from the shoreline for a distance of 600 feet or 20 times the structure height, whichever is greater.

Enclosure Classification = Open, Partially Enclosed & Enclosed

Open: A structure having each wall at least 80 percent open. $GC_{pi} = 0.00$

Partially Enclosed: A structure that the total area of openings in a wall that receives positive wind pressure exceeds the sum of the areas of openings in the balance of the remaining walls & roof by more than 10 percent. In addition, the total area of openings in a wall that receives positive wind pressure exceeds 4 square feet or 1 percent of the area of that wall, whichever is smaller and the percentage of openings in the balance of the remaining walls & roof does not exceed 20 percent. $GC_{pi} = +/-0.55$

Enclosed: A structure that does not comply with the requirements for open or partially enclosed structures. $GC_{pi} = +/-0.18$

Topographic Factor $K_{zt} = 1.0$ (no wind speed-up effects)

Wind speed-up effects at isolated hills, ridges, and escarpments constituting abrupt changes in the general topography have not been included in this analysis of the tent structural support frame.

Importance Factor $I = 1.0$

Wind Direction Factor $K_d = 0.85$

Gust Effect Factor $G = 0.85$

Height above ground = z

Mean roof height above ground = h

Velocity pressure exposure coefficients = K_h & K_z

Velocity Pressure $q_z = (0.00256) (K_z) (K_{zt}) (K_d) (V)^2$

Enclosure: Open (roof and valance only)

Mean Roof Height $h = 12.10$ feet

Roof Angle = 38.9 degrees

External Pressure Coefficients:

ASCE 7-10 Figure 27.4-5 Pitched Roof, Open Building

Clear Wind Flow

Load Case 'A': $C_{nw} = 1.3$ $C_{nl} = 0.6$

Load Case 'B': $C_{nw} = -0.2$ $C_{nl} = -0.6$

MWFRS Net Design Roof Pressure $p = (qz) (G) (C_n)$

ASCE 7-10 Section 27.4.5 Valance

$GC_{pn} = +1.5$ Windward

$GC_{pn} = -1.0$ Leeward

MWFRS Net Design Valance Pressure $p = (qz) (GC_{pn})$

Velocity Pressure Coefficient K_h & $K_z = 0.57$ Exposure 'B'

(ASCE 7-10 Table 27.3-1)

Velocity Pressure Coefficient K_h & $K_z = 0.85$ Exposure 'C'

(ASCE 7-10 Table 27.3-1)

Enclosure: Enclosed & Partially Enclosed: (roof and walls)

Mean Roof Height $h = 12.10$ feet

Roof Angle = 38.9 degrees

External Pressure Coefficients:

ASCE 7-10 Figure 27.4-1 Enclosed, Partially Enclosed Buildings

Horizontal building dimension parallel to the wind direction = L

Horizontal building dimension perpendicular to the wind direction = B

$$L/B = (15'-0") / (15'-0") = 1.0$$

$$h/L = (12.10') / (15'-0") = 0.807$$

Windward wall $C_p = 0.8$

Leeward wall $C_p = -0.5$

Side wall $C_p = -0.7$

Windward Roof: Load Case 'A' $C_p = -0.2$

Load Case 'B' $C_p = 0.3$

Leeward Roof: $C_p = -0.6$


MWFRS Design Roof Pressure $p = (qz) (G) (C_p) - (qz) (GC_{pi})$

Velocity Pressure Coefficient K_h & $K_z = 0.57$ Exposure 'B'

(ASCE 7-10 Table 27.3-1)

Velocity Pressure Coefficient K_h & $K_z = 0.85$ Exposure 'C'

(ASCE 7-10 Table 27.3-1)



Main Wind Force Resisting System – Part 1		All Heights											
Figure 27.4-1 (cont.)		External Pressure Coefficients, C_p									Walls & Roofs		
Enclosed, Partially Enclosed Buildings													
Wall Pressure Coefficients, C_p													
	Surface	L/B		C_p		Use With							
	Windward Wall	All values		0.8		q_z							
	Leeward Wall	0-1		-0.5		q_h							
		2		-0.3									
		≥ 4		-0.2									
	Side Wall	All values		-0.7		q_h							
Roof Pressure Coefficients, C_p , for use with q_h													
Wind Direction	Windward									Leeward			
	Angle, θ (degrees)												
		h/L	10	15	20	25	30	35	45	$\geq 60^\circ$	10	15	≥ 20
Normal to ridge for $\theta \geq 10^\circ$	≤ 0.25	-0.7	-0.5	-0.3	-0.2	-0.2	0.0*	0.4	0.4	0.01 θ	-0.3	-0.5	-0.6
	0.5	-0.9	-0.7	-0.4	-0.3	-0.2	-0.2	0.0*	0.4	0.01 θ	-0.5	-0.5	-0.6
	≥ 1.0	-1.3**	-1.0	-0.7	-0.5	-0.3	-0.2	0.0*	0.3	0.01 θ	-0.7	-0.6	-0.6
Normal to ridge for $\theta < 10^\circ$ and Parallel to ridge for all θ	≤ 0.5	Horiz distance from windward edge			C_p		*Value is provided for interpolation purposes. **Value can be reduced linearly with area over which it is applicable as follows						
		0 to h/2			-0.9, -0.18								
		h/2 to h			-0.9, -0.18								
		h to 2h			-0.5, -0.18								
≥ 1.0	0 to h/2			-1.3**, -0.18		Area (sq ft)		Reduction Factor					
	> h/2			-0.7, -0.18		≤ 100 (9.3 sq m)		1.0					
						250 (23.2 sq m)		0.9					
					≥ 1000 (92.9 sq m)		0.8						
Notes:													
1. Plus and minus signs signify pressures acting toward and away from the surfaces, respectively.													
2. Linear interpolation is permitted for values of L/B, h/L and θ other than shown. Interpolation shall only be carried out between values of the same sign. Where no value of the same sign is given, assume 0.0 for interpolation purposes.													
3. Where two values of C_p are listed, this indicates that the windward roof slope is subjected to either positive or negative pressures and the roof structure shall be designed for both conditions. Interpolation for intermediate ratios of h/L in this case shall only be carried out between C_p values of like sign.													
4. For monoslope roofs, entire roof surface is either a windward or leeward surface.													
5. For flexible buildings use appropriate G_f as determined by Section 26.9.4.													
6. Refer to Figure 27.4-2 for domes and Figure 27.4-3 for arched roofs.													
7. Notation:													
B: Horizontal dimension of building, in feet (meter), measured normal to wind direction.													
L: Horizontal dimension of building, in feet (meter), measured parallel to wind direction.													
h: Mean roof height in feet (meters), except that eave height shall be used for $\theta \leq 10^\circ$.													
z: Height above ground, in feet (meters).													
G: Gust effect factor.													
q_z, q_h : Velocity pressure, in pounds per square foot (N/m^2), evaluated at respective height.													
θ : Angle of plane of roof from horizontal, in degrees.													
8. For mansard roofs, the top horizontal surface and leeward inclined surface shall be treated as leeward surfaces from the table.													
9. Except for MWFRS's at the roof consisting of moment resisting frames, the total horizontal shear shall not be less than that determined by neglecting wind forces on roof surfaces.													
#For roof slopes greater than 80° , use $C_p = 0.8$													

Main Wind Force Resisting System – Part 1		$0.25 \leq h/L \leq 1.0$			
Figure 27.4-5	Net Pressure Coefficient, C_N	Pitched Free Roofs			
Open Buildings		$\theta \leq 45^\circ, \gamma = 0^\circ, 180^\circ$			
Roof Angle, θ	Load Case	Wind Direction, $\gamma = 0^\circ, 180^\circ$			
		Clear Wind Flow		Obstructed Wind Flow	
		C_{NW}	C_{NL}	C_{NW}	C_{NL}
7.5°	A	1.1	-0.3	-1.6	-1
	B	0.2	-1.2	-0.9	-1.7
15°	A	1.1	-0.4	-1.2	-1
	B	0.1	-1.1	-0.6	-1.6
22.5°	A	1.1	0.1	-1.2	-1.2
	B	-0.1	-0.8	-0.8	-1.7
30°	A	1.3	0.3	-0.7	-0.7
	B	-0.1	-0.9	-0.2	-1.1
37.5°	A	1.3	0.6	-0.6	-0.6
	B	-0.2	-0.6	-0.3	-0.9
45°	A	1.1	0.9	-0.5	-0.5
	B	-0.3	-0.5	-0.3	-0.7

Notes:

- C_{NW} and C_{NL} denote net pressures (contributions from top and bottom surfaces) for windward and leeward half of roof surfaces, respectively.
- Clear wind flow denotes relatively unobstructed wind flow with blockage less than or equal to 50%. Obstructed wind flow denotes objects below roof inhibiting wind flow (>50% blockage).
- For values of θ between 7.5° and 45°, linear interpolation is permitted. For values of θ less than 7.5°, use monoslope roof load coefficients.
- Plus and minus signs signify pressures acting towards and away from the top roof surface, respectively.
- All load cases shown for each roof angle shall be investigated.
- Notation:
 - L : horizontal dimension of roof, measured in the along wind direction, ft. (m)
 - h : mean roof height, ft. (m)
 - γ : direction of wind, degrees
 - θ : angle of plane of roof from horizontal, degrees

Base Reactions

The tent structural support frame post base reactions are given in the table below for each enclosure and exposure category. The tent support post base should be set on firm and unyielding ground. The ground should be structurally adequate for the required bearing pressures of the post base as well as the required forces of the tent stakes. A Soils Engineer shall verify the ground condition on a site-by-site basis and provide appropriate bearing plate sizes to accommodate the post loading.


Tent: 15' x 15' with 8' Head Clearance

Ballasting weight at each leg of 625 lbs. minimum, with 1" guy strap assembly.



<u>Enclosure</u>	<u>Exposure</u>	<u>Maximum Wind Speed</u>	<u>Post #</u>	<u>Vertical Reaction Down</u>	<u>Post Uplift Reaction</u>	<u>Ballast Weight</u>
Open Tent	B	80 MPH	P1	717.0#	-32.0#	559.0#
Open Tent	C	65 MPH	P1	707.0#	-31.0#	550.0#
Partially Enclosed Tent	B	60 MPH	P1	700.0#	-49.0#	620.0#
Partially Enclosed Tent	C	45 MPH	P1	722.0#	-51.0#	641.0#
Enclosed Tent	B	60 MPH	P1	648.0#	-22.0#	595.0#
Enclosed Tent	C	50 MPH	P1	668.0#	-24.0#	615.0#

Computer Model of Tent Support Frame

The tent structural support frame analysis utilized a 3-dimensional structural computer analysis program. The computer program aided in determining the deflection and stresses of the tent frame members based on the several load combinations. The tent support frame is modeled in the program based on the actual size and configuration of the tent and members used. Loads are applied to the members in accordance to the code required load combinations. Then based on the member capacities the maximum allowable wind speed was determined.



15' x 15' x 8' OPEN TENT with VALANCE



TRISON ENGINEERING GROUP, INC.
 112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT
 SHEET NO. 21 OF _____
 CALCULATED BY MSB DATE _____
 CHECKED BY _____ DATE _____
 SCALE _____

15' x 15' x 8' OPEN STRUCTURE WITH VALANCE

EXPOSURE = B

V = ALLOWABLE DESIGN WIND SPEED = 80 MPH

VELOCITY PRESSURE $q_z = (0.00256)(0.57)(0.85)(80)^2 = 7.94 \text{ PSF}$

LOAD CASE 'A' WINDWARD ROOF $p = (7.94 \text{ PSF})(0.85)(1.3) = 8.77 \text{ PSF}$

LEEWARD ROOF $p = (7.94 \text{ PSF})(0.85)(0.6) = 4.05 \text{ PSF}$

WINDWARD VALANCE $p = (7.94 \text{ PSF})(1.5) = 11.91 \text{ PSF}$

LEEWARD VALANCE $p = (7.94 \text{ PSF})(-1.0) = -7.94 \text{ PSF}$

LOAD CASE 'B' WINDWARD ROOF $p = (7.94 \text{ PSF})(0.85)(-0.2) = -1.350 \text{ PSF}$

LEEWARD ROOF $p = (7.94 \text{ PSF})(0.85)(-0.6) = -4.05 \text{ PSF}$

WINDWARD VALANCE $p = (7.94 \text{ PSF})(1.5) = 11.91 \text{ PSF}$

LEEWARD VALANCE $p = (7.94 \text{ PSF})(-1.0) = -7.94 \text{ PSF}$

V = 80 MPH

	WIND CASE 'A'		WIND CASE 'B'	
BALLAST WEIGHT	#15 545.9#	#16 558.3#	#15 454.6#	#16 452.0#
STRAP FORCE	M18 584.9#	M19 598.1#	M18 487.0#	M19 484.2#
CABLE FORCE	M14 87.2#	M17 91.0#	M14 83.4#	M17 82.6#
VERTICAL DEFLECTION	NODE #6 $\Delta V = 0.637''$		NODE #12 $\Delta V = 0.293''$	
HORIZONTAL DEFLECTION	NODE #6 $\Delta H = 0.568''$		NODE #12 $\Delta H = 0.305''$	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 22 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' OPEN STRUCTURE WITH VALANCE

EXPOSURE = C

V = ALLOWABLE DESIGN WIND SPEED = 65 MPH

VELOCITY PRESSURE $q_z = (0.00256)(0.85)(0.85)(65)^2 = 7.81 \text{ PSF}$

LOAD CASE 'A' WINDWARD ROOF $p = (7.81 \text{ PSF})(0.85)(1.3) = 8.63 \text{ PSF}$

LEEWARD ROOF $p = (7.81 \text{ PSF})(0.85)(0.6) = 3.98 \text{ PSF}$

WINDWARD VALANCE $p = (7.81 \text{ PSF})(1.5) = 11.72 \text{ PSF}$

LEEWARD VALANCE $p = (7.81 \text{ PSF})(-1.0) = -7.81 \text{ PSF}$

LOAD CASE 'B' WINDWARD ROOF $p = (7.81 \text{ PSF})(0.85)(-0.2) = -1.328 \text{ PSF}$

LEEWARD ROOF $p = (7.81 \text{ PSF})(0.85)(-0.6) = -3.98 \text{ PSF}$



WINDWARD VALANCE $p = (7.81 \text{ PSF})(1.5) = 11.72 \text{ PSF}$

LEEWARD VALANCE $p = (7.81 \text{ PSF})(-1.0) = -7.81 \text{ PSF}$

V = 65 MPH

	WIND CASE 'A'		WIND CASE 'B'	
BALLAST WEIGHT	#15 537.4#	#16 549.6#	#15 447.1#	#16 444.5#
STRAP FORCE	M18 575.8#	M19 588.8#	M18 478.9#	M19 476.2#
CABLE FORCE	M14 86.9#	M17 90.7#	M14 83.2#	M17 82.4#
VERTICAL DEFLECTION	NODE # 6 $\Delta V = -0.628"$		NODE # 12 $\Delta V = 0.288"$	
HORIZONTAL DEFLECTION	NODE # 6 $\Delta H = 0.56"$		NODE # 12 $\Delta H = 0.30"$	

15' x 15' x 8' PARTIALLY ENCLOSED TENT with WALLS



TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 24 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' PARTIALLY ENCLOSED TENT

EXPOSURE = B

V = ALLOWABLE DESIGN WIND SPEED = 60 MPH

V BLOCITY PRESSURE $q_z = (0.00256)(0.57)(0.85)(60)^2 = 4.47$
 PSF

LOAD CASE 'A' $G C_{pi} = +0.55$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(0.55) = 0.581 \text{ PSF}$

LEEWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(0.55) = -4.36 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.2) - (4.47 \text{ PSF})(0.55) = -3.22 \text{ PSF}$

LEEWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(0.55) = -4.74 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = +0.55$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(0.55) = 0.581 \text{ PSF}$

LEEWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(0.55) = -4.36 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(0.3) - (4.47 \text{ PSF})(0.55) = -1.319 \text{ PSF}$

LEEWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(0.55) = -4.74 \text{ PSF}$

LOAD CASE 'A' $G C_{pi} = -0.55$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(-0.55) = 5.50 \text{ PSF}$

LEEWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(-0.55) = 0.559 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.2) - (4.47 \text{ PSF})(-0.55) = 1.699 \text{ PSF}$

LEEWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(-0.55) = 0.179 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = -0.55$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(-0.55) = 5.50 \text{ PSF}$

LEEWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(-0.55) = 0.559 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(0.3) - (4.47 \text{ PSF})(-0.55) = 3.60 \text{ PSF}$

LEEWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(-0.55) = 0.179 \text{ PSF}$

TRISON ENGINEERING GROUP, INC.
 112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT
 SHEET NO. 25 OF _____
 CALCULATED BY MSB DATE _____
 CHECKED BY _____ DATE _____
 SCALE _____

V = 60 MPH EXPOSURE 'B' PARTIALLY ENCLOSED

GCPi = 0.55

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 444.5#	#16 435.3#	#15 535.9#	#16 528.3#
STRAP FORCE	M18 476.2#	M19 466.3#	M18 574.1#	M19 566.0#
CABLE FORCE	M14 88.3#	M17 84.5#	M14 92.2#	M17 89.1#
VERTICAL DEFLECTION	NODE #12 $\Delta V = 0.469"$		NODE #12 $\Delta V = 0.465"$	
HORIZONTAL DEFLECTION	NODE #12 $\Delta H = 0.446"$		NODE #12 $\Delta H = 0.467"$	

GCPi = 0.55

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 519.2#	#16 526.6#	#15 610.7#	#16 619.7#
STRAP FORCE	M18 556.2#	M19 564.2#	M18 654.3#	M19 663.9#
CABLE FORCE	M14 81.7#	M17 85.5#	M14 86.3#	M17 89.2#
VERTICAL DEFLECTION	NODE #6 $\Delta V = -0.41"$		NODE #6 $\Delta V = -0.507"$	
HORIZONTAL DEFLECTION	NODE #6 $\Delta H = 0.43"$		NODE #6 $\Delta H = 0.521"$	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
TRAVERSE CITY, MICHIGAN 49684
Phone (231) 932-9177
Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 26 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' PARTIALLY ENCLOSED TENT

EXPOSURE = C

V: ALLOWABLE DESIGN WIND SPEED = 45 MPH

$$V \text{ BLOCITY PRESSURE } q_z = (0.00256)(0.85)(0.85)(45)^2 = 3.75 \text{ PSF}$$

LOAD CASE 'A' $G C_{pi} = +0.55$

$$\text{WINDWARD WALL } p = (3.75 \text{ PSF})(0.85)(0.8) - (3.75 \text{ PSF})(0.55) = 0.488 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (3.75 \text{ PSF})(0.85)(-0.5) - (3.75 \text{ PSF})(0.55) = -3.66 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (3.75 \text{ PSF})(0.85)(-0.2) - (3.75 \text{ PSF})(0.55) = -2.70 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (3.75 \text{ PSF})(0.85)(-0.6) - (3.75 \text{ PSF})(0.55) = -3.98 \text{ PSF}$$

LOAD CASE 'B' $G C_{pi} = +0.55$

$$\text{WINDWARD WALL } p = (3.75 \text{ PSF})(0.85)(0.8) - (3.75 \text{ PSF})(0.55) = 0.488 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (3.75 \text{ PSF})(0.85)(-0.5) - (3.75 \text{ PSF})(0.55) = -3.66 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (3.75 \text{ PSF})(0.85)(0.3) - (3.75 \text{ PSF})(0.55) = -1.106 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (3.75 \text{ PSF})(0.85)(-0.6) - (3.75 \text{ PSF})(0.55) = -3.98 \text{ PSF}$$

LOAD CASE 'A' $G C_{pi} = -0.55$

$$\text{WINDWARD WALL } p = (3.75 \text{ PSF})(0.85)(0.8) - (3.75 \text{ PSF})(-0.55) = 4.61 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (3.75 \text{ PSF})(0.85)(-0.5) - (3.75 \text{ PSF})(-0.55) = 0.469 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (3.75 \text{ PSF})(0.85)(-0.2) - (3.75 \text{ PSF})(-0.55) = 1.425 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (3.75 \text{ PSF})(0.85)(-0.6) - (3.75 \text{ PSF})(-0.55) = 0.150 \text{ PSF}$$

LOAD CASE 'B' $G C_{pi} = -0.55$

$$\text{WINDWARD WALL } p = (3.75 \text{ PSF})(0.85)(0.8) - (3.75 \text{ PSF})(-0.55) = 4.61 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (3.75 \text{ PSF})(0.85)(-0.5) - (3.75 \text{ PSF})(-0.55) = 0.469 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (3.75 \text{ PSF})(0.85)(0.3) - (3.75 \text{ PSF})(-0.55) = 3.02 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (3.75 \text{ PSF})(0.85)(-0.6) - (3.75 \text{ PSF})(-0.55) = 0.150 \text{ PSF}$$

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 27 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

V = 45 MPH

EXPOSURE 'C'

PARTIALLY ENCLOSED

G_{CPI} = 0.55

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 373.4#	#16 365.8#	#15 450.1#	#16 443.8#
STRAP FORCE	M18 400.0#	M19 391.8#	M18 482.1#	M19 475.4#
CABLE FORCE	M14 85.1#	M17 81.9#	M14 88.3#	M17 85.8#
VERTICAL DEFLECTION	NODE #12 ΔV = 0.392"		NODE #12 ΔV = 0.389"	
HORIZONTAL DEFLECTION	NODE #12 ΔH = 0.374"		NODE #12 ΔH = 0.392"	



G_{CPI} = 0.55

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 365.0#	#16 372.3#	#15 441.8#	#16 450.4#
STRAP FORCE	M18 391.1#	M19 398.8#	M18 473.2#	M19 482.5#
CABLE FORCE	M14 75.6#	M17 79.3#	M14 79.5#	M17 82.2#
VERTICAL DEFLECTION	NODE #6 ΔV = 0.347"		NODE #6 ΔV = 0.43"	
HORIZONTAL DEFLECTION	NODE #6 ΔH = 0.353"		NODE #6 ΔH = 0.429"	

15' x 15' x 8' ENCLOSED TENT with WALLS



TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 29 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' ENCLOSED TENT

EXPOSURE = B

V: ALLOWABLE DESIGN WIND SPEED = 60 MPH

V BLOCITY PRESSURE $q_z = (0.00256)(0.57)(0.85)(60)^2 = 4.47$ PSF

LOAD CASE 'A' $G C_{pi} = +0.18$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(0.18) = 2.24 \text{ PSF}$

LBBWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(0.18) = -2.70 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.2) - (4.47 \text{ PSF})(0.18) = -1.565 \text{ PSF}$

LBBWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(0.18) = -3.08 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = +0.18$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(0.18) = 2.24 \text{ PSF}$

LBBWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(0.18) = -2.70 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(0.3) - (4.47 \text{ PSF})(0.18) = 0.335 \text{ PSF}$

LBBWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(0.18) = -3.08 \text{ PSF}$

LOAD CASE 'A' $G C_{pi} = -0.18$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(-0.18) = 3.84 \text{ PSF}$

LBBWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(-0.18) = -1.095 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.2) - (4.47 \text{ PSF})(-0.18) = 0.045 \text{ PSF}$

LBBWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(-0.18) = -1.475 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = -0.18$

WINDWARD WALL $p = (4.47 \text{ PSF})(0.85)(0.8) - (4.47 \text{ PSF})(-0.18) = 3.84 \text{ PSF}$

LBBWARD WALL $p = (4.47 \text{ PSF})(0.85)(-0.5) - (4.47 \text{ PSF})(-0.18) = -1.095 \text{ PSF}$

WINDWARD ROOF $p = (4.47 \text{ PSF})(0.85)(0.3) - (4.47 \text{ PSF})(-0.18) = 1.945 \text{ PSF}$

LBBWARD ROOF $p = (4.47 \text{ PSF})(0.85)(-0.6) - (4.47 \text{ PSF})(-0.18) = -1.475 \text{ PSF}$

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 30 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

V = 60 MPH

EXPOSURE 'B'

ENCLOSED

$G C_{pi} = 0.18$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 472.5#	#16 463.5#	#15 591.4#	#16 587.6#
STRAP FORCE	M18 506.2#	M19 496.6#	M18 633.7#	M19 629.6#
CABLE FORCE	M14 87.9#	M17 83.1#	M14 89.8#	M17 89.6#
VERTICAL DEFLECTION	NODE # 12 $\Delta V = 0.317"$		NODE # 12 $\Delta V = 0.311"$	
HORIZONTAL DEFLECTION	NODE # 12 $\Delta H = 0.427"$		NODE # 12 $\Delta H = 0.456"$	

$G C_{pi} = 0.18$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 465.6#	#16 470.3#	#15 584.4#	#16 594.5#
STRAP FORCE	M18 498.5#	M19 503.9#	M18 626.1#	M19 637.0#
CABLE FORCE	M14 78.1#	M17 85.7#	M14 80.0#	M17 92.2#
VERTICAL DEFLECTION	NODE # 6 $\Delta V = 0.246"$		NODE # 6 $\Delta V = 0.346"$	
HORIZONTAL DEFLECTION	NODE # 6 $\Delta H = 0.355"$		NODE # 6 $\Delta H = 0.481"$	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 31 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' ENCLOSED TENT

EXPOSURE = C

V: ALLOWABLE DESIGN WIND SPEED = 50 MPH

V BLOCITY PRESSURE $q_z = (0.00256)(0.85)(0.85)(50)^2 = 4.62$ PSF

LOAD CASE 'A' $G C_{pi} = +0.18$

WINDWARD WALL $P = (4.62 \text{ PSF})(0.85)(0.8) - (4.62 \text{ PSF})(0.18) = 2.31 \text{ PSF}$

LBBWARD WALL $P = (4.62 \text{ PSF})(0.85)(-0.5) - (4.62 \text{ PSF})(0.18) = -2.80 \text{ PSF}$

WINDWARD ROOF $P = (4.62 \text{ PSF})(0.85)(-0.2) - (4.62 \text{ PSF})(0.18) = -1.62 \text{ PSF}$

LBBWARD ROOF $P = (4.62 \text{ PSF})(0.85)(-0.6) - (4.62 \text{ PSF})(0.18) = -3.19 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = +0.18$

WINDWARD WALL $P = (4.62 \text{ PSF})(0.85)(0.8) - (4.62 \text{ PSF})(0.18) = 2.31 \text{ PSF}$

LBBWARD WALL $P = (4.62 \text{ PSF})(0.85)(-0.5) - (4.62 \text{ PSF})(0.18) = -2.80 \text{ PSF}$

WINDWARD ROOF $P = (4.62 \text{ PSF})(0.85)(0.3) - (4.62 \text{ PSF})(0.18) = -0.832 \text{ PSF}$

LBBWARD ROOF $P = (4.62 \text{ PSF})(0.85)(-0.6) - (4.62 \text{ PSF})(0.18) = -3.19 \text{ PSF}$

LOAD CASE 'A' $G C_{pi} = -0.18$

WINDWARD WALL $P = (4.62 \text{ PSF})(0.85)(0.8) - (4.62 \text{ PSF})(-0.18) = 3.97 \text{ PSF}$

LBBWARD WALL $P = (4.62 \text{ PSF})(0.85)(-0.5) - (4.62 \text{ PSF})(-0.18) = -1.132 \text{ PSF}$

WINDWARD ROOF $P = (4.62 \text{ PSF})(0.85)(-0.2) - (4.62 \text{ PSF})(-0.18) = 0.046 \text{ PSF}$

LBBWARD ROOF $P = (4.62 \text{ PSF})(0.85)(-0.6) - (4.62 \text{ PSF})(-0.18) = -1.525 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = -0.18$

WINDWARD WALL $P = (4.62 \text{ PSF})(0.85)(0.8) - (4.62 \text{ PSF})(-0.18) = 3.97 \text{ PSF}$

LBBWARD WALL $P = (4.62 \text{ PSF})(0.85)(-0.5) - (4.62 \text{ PSF})(-0.18) = -1.132 \text{ PSF}$

WINDWARD ROOF $P = (4.62 \text{ PSF})(0.85)(0.3) - (4.62 \text{ PSF})(-0.18) = 2.01 \text{ PSF}$

LBBWARD ROOF $P = (4.62 \text{ PSF})(0.85)(-0.6) - (4.62 \text{ PSF})(-0.18) = -1.525 \text{ PSF}$

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 32 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

V = 50 MPH

EXPOSURE 'C'

ENCLOSED

G_{CPI} = +0.18

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 489.1#	#16 479.5#	#15 538.5#	#16 531.0#
STRAP FORCE	M18 524.0#	M19 513.7#	M18 576.9#	M19 568.8#
CABLE FORCE	M14 88.8#	M17 83.5#	M14 89.6#	M17 86.1#
VERTICAL DEFLECTION	NODE # 12 ΔV = 0.329"		NODE # 12 ΔV = 0.327"	
HORIZONTAL DEFLECTION	NODE # 12 ΔH = 0.443"		NODE # 12 ΔH = 0.455"	

G_{CPI} = -0.18

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 480.9#	#16 485.8#	#15 604.0#	#16 614.2#
STRAP FORCE	M18 515.2#	M19 520.5#	M18 647.1#	M19 658.1#
CABLE FORCE	M14 78.7#	M17 86.0#	M14 80.7#	M17 92.8#
VERTICAL DEFLECTION	NODE # 6 ΔV = -0.253"		NODE # 6 ΔV = -0.357"	
HORIZONTAL DEFLECTION	NODE # 6 ΔH = 0.366"		NODE # 6 ΔH = 0.497"	

Appendix: Alternate 2" Guy Strap Assembly

An alternate 2" guy strap assembly was used with the tent structural support frame. The table below provides post base reactions and ballast weights for each enclosure and exposure category. The ground should be structurally adequate for the required bearing pressures of the post base as well as the required forces of the tent stakes. A Soils Engineer shall verify the ground condition on a site-by-site basis and provide appropriate bearing plate sizes to accommodate the post loading.

Tent: 15' x 15' with 8' Head Clearance
 2" guy strap assembly with an allowable working load limit = 3333. #
 Ballasting weight as noted in table

<u>Enclosure</u>	<u>Exposure</u>	<u>Maximum Wind Speed</u>	<u>Post #</u>	<u>Vertical Reaction Down</u>	<u>Post Uplift Reaction</u>	<u>Ballast Weight</u>
Open Tent	B	100 MPH	P1	1101.0#	-62.0#	873.0#
Open Tent	C	80 MPH	P1	1052.0#	-59.0#	834.0#
Partially Enclosed Tent	B	70 MPH	P1	939.0#	-74.0#	843.0#
Partially Enclosed Tent	C	60 MPH	P1	1025.0#	-84.0#	924.0#
Enclosed Tent	B	90 MPH	P1	1399.0#	-77.0#	1330.0#
Enclosed Tent	C	75 MPH	P1	1445.0#	-80.0#	1381.0#

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 34 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' OPEN STRUCTURE WITH VALANCE

EXPOSURE = B

V = ALLOWABLE DESIGN WIND SPEED = 100 MPH

VELOCITY PRESSURE $q_z = (0.00256)(0.57)(0.85)(100)^2 = 12.40 \text{ PSF}$

LOAD CASE 'A' WINDWARD ROOF $p = (12.4 \text{ PSF})(0.85)(1.3) = 13.70 \text{ PSF}$

LEEWARD ROOF $p = (12.4 \text{ PSF})(0.85)(0.6) = 6.32 \text{ PSF}$

WINDWARD VALANCE $p = (12.4 \text{ PSF})(1.5) = 18.6 \text{ PSF}$

LEEWARD VALANCE $p = (12.4 \text{ PSF})(-1.0) = -12.40 \text{ PSF}$

LOAD CASE 'B' WINDWARD ROOF $p = (12.4 \text{ PSF})(0.85)(-0.2) = -2.10 \text{ PSF}$

LEEWARD ROOF $p = (12.4 \text{ PSF})(0.85)(-0.6) = -6.32 \text{ PSF}$

WINDWARD VALANCE $p = (12.4 \text{ PSF})(1.5) = 18.6 \text{ PSF}$

LEEWARD VALANCE $p = (12.4 \text{ PSF})(-1.0) = -12.40 \text{ PSF}$

V = 100 MPH

	WIND CASE 'A'		WIND CASE 'B'	
BALLAST WEIGHT	#15 854.3#	#16 873.0#	#15 709.9#	#16 705.4#
STRAP FORCE	M18 915.4#	M19 935.4#	M18 760.6#	M19 755.8#
CABLE FORCE	M14 98.4#	M17 104.1#	M14 92.3#	M17 90.7#
VERTICAL DEFLECTION	NODE # 6 $\Delta V = 0.97''$		NODE # 12 $\Delta V = 0.464''$	
HORIZONTAL DEFLECTION	NODE # 6 $\Delta H = 0.873''$		NODE # 12 $\Delta H = 0.478''$	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 35 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' X 15' X 8' OPEN STRUCTURE WITH VALANCE

EXPOSURE = C

V = ALLOWABLE DESIGN WIND SPEED = 80 MPH

VELOCITY PRESSURE $q_z = (0.00256)(0.85)(0.85)(80)^2 = 11.84 \text{ PSF}$

LOAD CASE 'A' WINDWARD ROOF $p = (11.84 \text{ PSF})(0.85)(1.3) = 13.08 \text{ PSF}$

LEEWARD ROOF $p = (11.84 \text{ PSF})(0.85)(0.6) = 6.04 \text{ PSF}$

WINDWARD VALANCE $p = (11.84 \text{ PSF})(1.5) = 17.76 \text{ PSF}$

LEEWARD VALANCE $p = (11.84 \text{ PSF})(-1.0) = -11.84 \text{ PSF}$

LOAD CASE 'B' WINDWARD ROOF $p = (11.84 \text{ PSF})(0.85)(-0.2) = -2.013 \text{ PSF}$

LEEWARD ROOF $p = (11.84 \text{ PSF})(0.85)(-0.6) = -6.04 \text{ PSF}$

WINDWARD VALANCE $p = (11.84 \text{ PSF})(1.5) = 17.76 \text{ PSF}$

LEEWARD VALANCE $p = (11.84 \text{ PSF})(-1.0) = -11.84 \text{ PSF}$

V = 80 MPH

	WIND CASE 'A'		WIND CASE 'B'	
BALLAST WEIGHT	#15 815.2#	#16 833.1#	#15 678.1#	#16 673.8#
STRAP FORCE	M18 873.5#	M19 892.7#	M18 726.5#	M19 721.9#
CABLE FORCE	M14 96.9#	M17 102.4#	M14 91.2#	M17 89.7#
VERTICAL DEFLECTION	NODE # 6 $\Delta V = 0.929"$		NODE # 12 $\Delta V = 0.443"$	
HORIZONTAL DEFLECTION	NODE # 6 $\Delta H = 0.835"$		NODE # 12 $\Delta H = 0.456"$	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
TRAVERSE CITY, MICHIGAN 49684
Phone (231) 932-9177
Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 36 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' PARTIALLY ENCLOSED TENT

EXPOSURE = B

V: ALLOWABLE DESIGN WIND SPEED = 70 MPH

$$V \text{ BLOCITY PRESSURE } q_z = (0.00256)(0.57)(0.85)(70)^2 = 6.08 \text{ PSF}$$

LOAD CASE 'A' $G C_{pi} = +0.55$

$$\text{WINDWARD WALL } p = (6.08 \text{ PSF})(0.85)(0.8) - (6.08 \text{ PSF})(0.55) = 0.790 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (6.08 \text{ PSF})(0.85)(-0.5) - (6.08 \text{ PSF})(0.55) = -5.93 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (6.08 \text{ PSF})(0.85)(-0.2) - (6.08 \text{ PSF})(0.55) = -4.38 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (6.08 \text{ PSF})(0.85)(-0.6) - (6.08 \text{ PSF})(0.55) = -6.44 \text{ PSF}$$

LOAD CASE 'B' $G C_{pi} = +0.55$

$$\text{WINDWARD WALL } p = (6.08 \text{ PSF})(0.85)(0.8) - (6.08 \text{ PSF})(0.55) = 0.790 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (6.08 \text{ PSF})(0.85)(-0.5) - (6.08 \text{ PSF})(0.55) = -5.93 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (6.08 \text{ PSF})(0.85)(0.3) - (6.08 \text{ PSF})(0.55) = -1.794 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (6.08 \text{ PSF})(0.85)(-0.6) - (6.08 \text{ PSF})(0.55) = -6.44 \text{ PSF}$$

LOAD CASE 'A' $G C_{pi} = -0.55$

$$\text{WINDWARD WALL } p = (6.08 \text{ PSF})(0.85)(0.8) - (6.08 \text{ PSF})(-0.55) = 7.48 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (6.08 \text{ PSF})(0.85)(-0.5) - (6.08 \text{ PSF})(-0.55) = 0.760 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (6.08 \text{ PSF})(0.85)(-0.2) - (6.08 \text{ PSF})(-0.55) = 2.31 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (6.08 \text{ PSF})(0.85)(-0.6) - (6.08 \text{ PSF})(-0.55) = 0.243 \text{ PSF}$$

LOAD CASE 'B' $G C_{pi} = -0.55$

$$\text{WINDWARD WALL } p = (6.08 \text{ PSF})(0.85)(0.8) - (6.08 \text{ PSF})(-0.55) = 7.48 \text{ PSF}$$

$$\text{LEEWARD WALL } p = (6.08 \text{ PSF})(0.85)(-0.5) - (6.08 \text{ PSF})(-0.55) = 0.760 \text{ PSF}$$

$$\text{WINDWARD ROOF } p = (6.08 \text{ PSF})(0.85)(0.3) - (6.08 \text{ PSF})(-0.55) = 4.89 \text{ PSF}$$

$$\text{LEEWARD ROOF } p = (6.08 \text{ PSF})(0.85)(-0.6) - (6.08 \text{ PSF})(-0.55) = 0.243 \text{ PSF}$$

TRISON ENGINEERING GROUP, INC.
 112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT
 SHEET NO. 37 OF _____
 CALCULATED BY MSB DATE _____
 CHECKED BY _____ DATE _____
 SCALE _____

V=70 MPH EXPOSURE 'B' PARTIALLY ENCLOSED

$G C P_i = 0.55$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 604.3#	#16 591.5#	#15 728.7#	#16 718.1#
STRAP FORCE	M18 647.5#	M19 633.7#	M18 708.7#	M19 769.4#
CABLE FORCE	M14 95.7#	M17 90.3#	M14 101.0#	M17 96.5#
VERTICAL DEFLECTION	NODE #12 $\Delta V = 0.641"$		NODE #12 $\Delta V = 0.635"$	
HORIZONTAL DEFLECTION	NODE #12 $\Delta H = 0.606"$		NODE #12 $\Delta H = 0.636"$	

$G C P_i = 0.55$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 706.6#	#16 716.3#	#15 830.9#	#16 842.8#
STRAP FORCE	M18 757.0#	M19 767.5#	M18 890.3#	M19 903.1#
CABLE FORCE	M14 86.7#	M17 91.7#	M14 92.3#	M17 97.6#
VERTICAL DEFLECTION	NODE #6 $\Delta V = 0.547"$		NODE #6 $\Delta V = 0.676"$	
HORIZONTAL DEFLECTION	NODE #6 $\Delta H = 0.578"$		NODE #6 $\Delta H = 0.70"$	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 38 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' PARTIALLY ENCLOSED TENT

EXPOSURE = C

V: ALLOWABLE DESIGN WIND SPEED = 60 MPH

V BLOCITY PRESSURE $q_z = (0.00256)(0.85)(0.85)(60)^2 = 6.66$
 PSF

LOAD CASE 'A' $G C_{pi} = +0.55$

WINDWARD WALL $P = (6.66 \text{ PSF})(0.85)(0.8) - (6.66 \text{ PSF})(0.55) = 0.866 \text{ PSF}$

LEEWARD WALL $P = (6.66 \text{ PSF})(0.85)(-0.5) - (6.66 \text{ PSF})(0.55) = -6.49 \text{ PSF}$

WINDWARD ROOF $P = (6.66 \text{ PSF})(0.85)(-0.2) - (6.66 \text{ PSF})(0.55) = -4.80 \text{ PSF}$

LEEWARD ROOF $P = (6.66 \text{ PSF})(0.85)(-0.6) - (6.66 \text{ PSF})(0.55) = -7.06 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = +0.55$

WINDWARD WALL $P = (6.66 \text{ PSF})(0.85)(0.8) - (6.66 \text{ PSF})(0.55) = 0.866 \text{ PSF}$

LEEWARD WALL $P = (6.66 \text{ PSF})(0.85)(-0.5) - (6.66 \text{ PSF})(0.55) = -6.49 \text{ PSF}$

WINDWARD ROOF $P = (6.66 \text{ PSF})(0.85)(0.3) - (6.66 \text{ PSF})(0.55) = -1.965 \text{ PSF}$

LEEWARD ROOF $P = (6.66 \text{ PSF})(0.85)(-0.6) - (6.66 \text{ PSF})(0.55) = -7.06 \text{ PSF}$

LOAD CASE 'A' $G C_{pi} = -0.55$

WINDWARD WALL $P = (6.66 \text{ PSF})(0.85)(0.8) - (6.66 \text{ PSF})(-0.55) = 8.19 \text{ PSF}$

LEEWARD WALL $P = (6.66 \text{ PSF})(0.85)(-0.5) - (6.66 \text{ PSF})(-0.55) = 0.833 \text{ PSF}$

WINDWARD ROOF $P = (6.66 \text{ PSF})(0.85)(-0.2) - (6.66 \text{ PSF})(-0.55) = 2.53 \text{ PSF}$

LEEWARD ROOF $P = (6.66 \text{ PSF})(0.85)(-0.6) - (6.66 \text{ PSF})(-0.55) = 0.266 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = -0.55$

WINDWARD WALL $P = (6.66 \text{ PSF})(0.85)(0.8) - (6.66 \text{ PSF})(-0.55) = 8.19 \text{ PSF}$

LEEWARD WALL $P = (6.66 \text{ PSF})(0.85)(-0.5) - (6.66 \text{ PSF})(-0.55) = 0.833 \text{ PSF}$

WINDWARD ROOF $P = (6.66 \text{ PSF})(0.85)(0.3) - (6.66 \text{ PSF})(-0.55) = 5.36 \text{ PSF}$

LEEWARD ROOF $P = (6.66 \text{ PSF})(0.85)(-0.6) - (6.66 \text{ PSF})(-0.55) = 0.266 \text{ PSF}$

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 39 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

V = 60 MPH EXPOSURE 'C' PARTIALLY ENCLOSED

$G C_{pi} = 0.55$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 661.7#	#16 647.7#	#15 798.0#	#16 786.4#
STRAP FORCE	M18 709.0#	M19 693.9#	M18 855.1#	M19 842.6#
CABLE FORCE	M14 98.4#	M17 92.4#	M14 104.1#	M17 99.2#
VERTICAL DEFLECTION	NODE # 12 $\Delta V = 0.702"$		NODE # 12 $\Delta V = 0.696"$	
HORIZONTAL DEFLECTION	NODE # 12 $\Delta H = 0.664"$		NODE # 12 $\Delta H = 0.696"$	

$G C_{pi} = 0.55$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 773.8#	#16 784.4#	#15 910.2#	#16 923.1#
STRAP FORCE	M18 829.1#	M19 840.4#	M18 975.3#	M19 989.2#
CABLE FORCE	M14 88.6#	M17 93.9#	M14 94.4#	M17 100.7#
VERTICAL DEFLECTION	NODE # 6 $\Delta V = 0.595"$		NODE # 6 $\Delta V = 0.736"$	
HORIZONTAL DEFLECTION	NODE # 6 $\Delta H = 0.631"$		NODE # 6 $\Delta H = 0.764"$	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 40 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' ENCLOSED TENT

EXPOSURE = B

V = ALLOWABLE DESIGN WIND SPEED = 90 MPH

V BLOCITY PRESSURE $q_z = (0.00256)(0.57)(0.85)(90)^2 = 10.05$
 PSF

LOAD CASE 'A' $G C_{pi} = +0.18$

WINDWARD WALL $P = (10.05 \text{ PSF})(0.85)(0.8) - (10.05 \text{ PSF})(0.18) = 5.025 \text{ PSF}$

LBEWARD WALL $P = (10.05 \text{ PSF})(0.85)(-0.5) - (10.05 \text{ PSF})(0.18) = -6.08 \text{ PSF}$

WINDWARD ROOF $P = (10.05 \text{ PSF})(0.85)(-0.2) - (10.05 \text{ PSF})(0.18) = -3.518 \text{ PSF}$

LBEWARD ROOF $P = (10.05 \text{ PSF})(0.85)(-0.6) - (10.05 \text{ PSF})(0.18) = -6.935 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = +0.18$

WINDWARD WALL $P = (10.05 \text{ PSF})(0.85)(0.8) - (10.05 \text{ PSF})(0.18) = 5.025 \text{ PSF}$

LBEWARD WALL $P = (10.05 \text{ PSF})(0.85)(-0.5) - (10.05 \text{ PSF})(0.18) = -6.08 \text{ PSF}$

WINDWARD ROOF $P = (10.05 \text{ PSF})(0.85)(0.3) - (10.05 \text{ PSF})(0.18) = 0.754 \text{ PSF}$

LBEWARD ROOF $P = (10.05 \text{ PSF})(0.85)(-0.6) - (10.05 \text{ PSF})(0.18) = -6.935 \text{ PSF}$

LOAD CASE 'A' $G C_{pi} = -0.18$

WINDWARD WALL $P = (10.05 \text{ PSF})(0.85)(0.8) - (10.05 \text{ PSF})(-0.18) = 8.64 \text{ PSF}$

LBEWARD WALL $P = (10.05 \text{ PSF})(0.85)(-0.5) - (10.05 \text{ PSF})(-0.18) = -2.462 \text{ PSF}$

WINDWARD ROOF $P = (10.05 \text{ PSF})(0.85)(-0.2) - (10.05 \text{ PSF})(-0.18) = 0.101 \text{ PSF}$

LBEWARD ROOF $P = (10.05 \text{ PSF})(0.85)(-0.6) - (10.05 \text{ PSF})(-0.18) = -3.317 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = -0.18$

WINDWARD WALL $P = (10.05 \text{ PSF})(0.85)(0.8) - (10.05 \text{ PSF})(-0.18) = 8.64 \text{ PSF}$

LBEWARD WALL $P = (10.05 \text{ PSF})(0.85)(-0.5) - (10.05 \text{ PSF})(-0.18) = -2.462 \text{ PSF}$

WINDWARD ROOF $P = (10.05 \text{ PSF})(0.85)(0.3) - (10.05 \text{ PSF})(-0.18) = 4.372 \text{ PSF}$

LBEWARD ROOF $P = (10.05 \text{ PSF})(0.85)(-0.6) - (10.05 \text{ PSF})(-0.18) = -3.317 \text{ PSF}$

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 41 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

V = 90 MPH

EXPOSURE 'B'

ENCLOSED

G_{CPI} = +0.18

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 1066.7#	#16 1034.2#	#15 1331.7#	#16 1310.9#
STRAP FORCE	M18 1143.2#	M19 1108.3#	M18 1427.4#	M19 1405.1#
CABLE FORCE	M14 118.2#	M17 97.2#	M14 123.1#	M17 110.9#
VERTICAL DEFLECTION	NODE #12 ΔV = 0.722"		NODE #12 ΔV = 0.709"	
HORIZONTAL DEFLECTION	NODE #12 ΔH = 0.962"		NODE #12 ΔH = 1.028"	

G_{CPI} = -0.18

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 1050.4#	#16 1050.2#	#15 1318.2#	#16 1329.6#
STRAP FORCE	M18 1125.8#	M19 1125.5#	M18 1413.0#	M19 1425.2#
CABLE FORCE	M14 99.2#	M17 100.0#	M14 103.9#	M17 114.1#
VERTICAL DEFLECTION	NODE #6 ΔV = -0.522"		NODE #6 ΔV = -0.739"	
HORIZONTAL DEFLECTION	NODE #6 ΔH = 0.773"		NODE #6 ΔH = 1.048"	

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 42 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

15' x 15' x 8' ENCLOSED TENT

EXPOSURE = C

V = ALLOWABLE DESIGN WIND SPEED = 75 MPH

V BLOCITY PRESSURE $q_z = (0.00256)(0.85)(0.85)(75)^2 = 10.40$
 PSF

LOAD CASE 'A' $G C_{pi} = +0.18$

WINDWARD WALL $p = (10.4 \text{ PSF})(0.85)(0.8) - (10.4 \text{ PSF})(0.18) = 5.20 \text{ PSF}$

LEEWARD WALL $p = (10.4 \text{ PSF})(0.85)(-0.5) - (10.4 \text{ PSF})(0.18) = -6.29 \text{ PSF}$

WINDWARD ROOF $p = (10.4 \text{ PSF})(0.85)(-0.2) - (10.4 \text{ PSF})(0.18) = -3.64 \text{ PSF}$

LEEWARD ROOF $p = (10.4 \text{ PSF})(0.85)(-0.6) - (10.4 \text{ PSF})(0.18) = -7.18 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = +0.18$

WINDWARD WALL $p = (10.4 \text{ PSF})(0.85)(0.8) - (10.4 \text{ PSF})(0.18) = 5.20 \text{ PSF}$

LEEWARD WALL $p = (10.4 \text{ PSF})(0.85)(-0.5) - (10.4 \text{ PSF})(0.18) = -6.29 \text{ PSF}$

WINDWARD ROOF $p = (10.4 \text{ PSF})(0.85)(0.3) - (10.4 \text{ PSF})(0.18) = 0.78 \text{ PSF}$

LEEWARD ROOF $p = (10.4 \text{ PSF})(0.85)(-0.6) - (10.4 \text{ PSF})(0.18) = -7.18 \text{ PSF}$

LOAD CASE 'A' $G C_{pi} = -0.18$

WINDWARD WALL $p = (10.4 \text{ PSF})(0.85)(0.8) - (10.4 \text{ PSF})(-0.18) = 8.94 \text{ PSF}$

LEEWARD WALL $p = (10.4 \text{ PSF})(0.85)(-0.5) - (10.4 \text{ PSF})(-0.18) = -2.548 \text{ PSF}$

WINDWARD ROOF $p = (10.4 \text{ PSF})(0.85)(-0.2) - (10.4 \text{ PSF})(-0.18) = 0.104 \text{ PSF}$

LEEWARD ROOF $p = (10.4 \text{ PSF})(0.85)(-0.6) - (10.4 \text{ PSF})(-0.18) = -3.432 \text{ PSF}$

LOAD CASE 'B' $G C_{pi} = -0.18$

WINDWARD WALL $p = (10.4 \text{ PSF})(0.85)(0.8) - (10.4 \text{ PSF})(-0.18) = 8.94 \text{ PSF}$

LEEWARD WALL $p = (10.4 \text{ PSF})(0.85)(-0.5) - (10.4 \text{ PSF})(-0.18) = -2.548 \text{ PSF}$

WINDWARD ROOF $p = (10.4 \text{ PSF})(0.85)(0.3) - (10.4 \text{ PSF})(-0.18) = 4.52 \text{ PSF}$

LEEWARD ROOF $p = (10.4 \text{ PSF})(0.85)(-0.6) - (10.4 \text{ PSF})(-0.18) = -3.432 \text{ PSF}$

TRISON ENGINEERING GROUP, INC.

112 W. FOURTEENTH ST.
 TRAVERSE CITY, MICHIGAN 49684
 Phone (231) 932-9177
 Fax (231) 932-0179

JOB TENT CRAFT

SHEET NO. 43 OF _____

CALCULATED BY MSB DATE _____

CHECKED BY _____ DATE _____

SCALE _____

V = 75 MPH EXPOSURE 'C' ENCLOSED

$G C p_i = 0.18$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 1104.0#	#16 1070.0#	#15 1380.7#	#16 1358.9#
STRAP FORCE	M18 1183.2#	M19 1146.7#	M18 1480.0#	M19 1456.6#
CABLE FORCE	M14 120.0#	M17 98.2#	M14 125.2#	M17 112.5#
VERTICAL DEFLECTION	NODE # 12 $\Delta V = 0.748"$		NODE # 12 $\Delta V = 0.734"$	
HORIZONTAL DEFLECTION	NODE # 12 $\Delta H = 0.995"$		NODE # 12 $\Delta H = 1.064"$	

$G C p_i = 0.18$

WIND CASE 'A'

WIND CASE 'B'

BALLAST WEIGHT	#15 1087.1#	#16 1086.5#	#15 1364.0#	#16 1375.4#
STRAP FORCE	M18 1165.1#	M19 1164.5#	M18 1462.1#	M19 1474.3#
CABLE FORCE	M14 100.5#	M17 101.0#	M14 105.4#	M17 115.5#
VERTICAL DEFLECTION	NODE # 6 $\Delta V = -0.539"$		NODE # 6 $\Delta V = -0.763"$	
HORIZONTAL DEFLECTION	NODE # 6 $\Delta H = 0.799"$		NODE # 6 $\Delta H = 1.083"$	